

📀 K-40, 3rd Floor, Jangpura Extension, New Delhi - 110 014 🔅 www.pphfglobal.org 💿 connect@pphfglobal.org 🕓 +91 11 3512 1441

REQUEST FOR QUOTATIONS

Procurement of Service under RFQ

Purchaser: People to People Health Foundation (PPHF) Contract title: Boundary Wall Construction Work of Jhalap PHC **RFQ No.:** PPHF/RFQ/23-24/012

S. No.	Description	Date & Time
01	Date of Issue of RFQ	08th January 2024
02	Last Date and Time of submission of RFQs	12th January 2024 at 17:30 Hrs.
03	Opening of RFQs	17th January 2024 at 17:30 Hrs.



K-40, 3rd Floor, Jangpura Extension, New Delhi - 110 014
www.pphfglobal.org
connect@pphfglobal.org
+91 11 3512 1441

INVITATION FOR QUOTATIONS FOR SUPPLY OF SERVICE UNDER HEALTH FACILITIES UPGRADATION

To,

Dear Sir/Madam,

Subject: INVITATION FOR QUOTATIONS FOR BOUNDARY WALL CONSTRUCTION WORK OF JHALAP PHC

You are invited to submit your most competitive quotation for the following make as per the units mentioned below. The standard forms in this RFQ may be retyped for completion but the bidder is responsible for their accurate reproduction.

S. No.	Particulars of items	Nos.	Length	Breadth	D/H	Quantity	Unit
1	Item No 1.1						
	Excavation for all types and sizes of foundations, trenches and drains or for any other purpose including disposal of excavated stuff upto 1.5 m lift and lead upto 50m (at least 5m away from the excavated area), including dressing and leveling						
	of pits 1.1.1) In Soil						
	Column Pit (F1) (spacing 2.5m)	375	1.50	1.50	1.50	1265.63	
	Combined Footing (at 15 m	575	1.00	1.00	1.50	1203.03	
	spacing)	27	1.80	1.50	1.50	109.35	
					Total	1374.98	Cum.
2	Item No 1.2						
	Surface dressing of the ground i/c removing vegetation & making up undulation & in equalities not exc-eeding 15 cms. In depth/height i/c disposal of rubbish upto 50m lead &1.5m lift (at least 5m away from the dressed area).	1.00	1000.00	1.50		1500.00	
					Total	1500.00	Sqm.
3	Item No 1.17						



📀 K-40, 3rd Floor, Jangpura Extension, New Delhi - 110 014

😵 www.pphfglobal.org

S connect@pphfglobal.org S +91 11 3512 1441

ĺ	Filling from available excavated		1 1		1 1		
	stuff (Exclud						
	ing rock) in trenches, plinth,						
	sides of foundation etc. in layers						
	not exceeding 20						
	cm in depth						
	consolidating each deposited						
	layer by ramming and w						
	atering with a lead						
	upto 50 M. and lift upto 1.5 M.						
	above Item						
					Total	1082.94	Cum.
4	Item No 3.1						
	Providing and laying nominal						
	mix cement concrete (PCC) with						
	crushed stone aggregate using						
	concrete mixer in foundation,						
	plinth and at ground level						
	excluding cost of form work.						
	3.1.3)1:3:6 (1 cement: 3 coarse						
	sand: 6 graded						
	stone aggregate 40mm nominal						
	size).						
	Footing Base						
	Column Pit (F1) (spacing 2.5m)	375	1.20	1.20	0.10	54.00	
	Combined Footing (at 15 m						
	spacing)	27	1.50	1.20	0.10	4.86	
	Bottom of beam	1.00	1000.00	0.30	0.08	22.50	
					Total	81.36	Cum.
	3.1.4)1:2:4 (1 cement: 2 coarse						
	sand: 4 graded						
	stone aggregate 40mm nominal						
	size).						
	Coping 50 mm thick at the top of						
	the boundary wall with 20mm						
	metal	1.00	1000.00	0.30	0.05	15.00	
					Total	15.00	Cum.
5	Item No 3.2						
	Providing and laying nominal						
	mix reinforcement cement						
	concrete with crushed stone						
	aggregate using concrete mixer						
	in all works upto floor five level						
	excluding cost of reinforcement						
	and form work.						
	3.2.1)1:11/2:3 (1 cement : 11/2						
	coarse sand : 3 graded stone						
	aggregate 20mm nominal						
	size).						
	Column footing						
	F1	375	1.20	1.20	0.35	189.00	
	F2 (combined)	27	1.50	1.20	0.35	17.01	
	Plinth Beam	1.00	920.00	0.20	0.30	55.20	1



• K-40, 3rd Floor, Jangpura Extension, New Delhi - 110 014

www.pphfglobal.org

	Col. Up to P.L	427.00	0.20	0.30	1.25	32.03	
	Col. Up to Top Level	427.00	0.20	0.30	2.00	51.24	
					Total	344.48	Cum.
	3.4) Extra for laying PCC/RCC						
	of any grade in superstructure						
	above plinth level for every						
	floor or part thereof in ddition						
	to rate for foundation and						
	plinth:						
	Col. Up to Top Level				Total	51.24	Cum.
6	Item No3.12						
•	Providing and placing in position						
	reinforcement for R.C.C. work						
	including straightening, cutting,						
	bending, binding etc. complete						
	as per drawings including cost of						
	binding wire all complete:						
	3.12.1)Thermo-Mechanically						
	treated bars						
	80kg/ cum						
7	Item No 2.1				Total	27558.00	Kg
1							
	Providing and fixing formwork						
	including centering, shuttering, strutting, staging, propping						
	bracing etc.complete and						
	including its removal at all						
	levels, for:						
	2.1.1)Foundations, footings,						
	base of columns						
	and plinth beam in any shape						
	and size.						
	Column Pit (F1)(spacing 2.5m)	375.00	1.20	1.20	0.35	630.00	
	Combined Footing (at 15 m						
	spacing)	27.00	1.50	1.20	0.35	51.03	
	Plinth Beam	1.00	1000.00	0.20	0.30	600.00	0.0
	215)Columns Billoro Bioro			Total		1281.03	Sq.m.
	2.1.5)Columns, Pillars, Piers and likes- rectangular or						
	square in shape						
	Column Upto Plinth Level, C1	427	0.20	0.30	3.25	1387.75	
		721	0.20	Total	0.20	1387.75	Sq.m.
	2.1.8)Beams, lintels,						
	cantilevers & walls						
	coping	1.00	920.00	0.10		92.00	
				Total		92.00	Sq.m.
8	Item No.7.5.4						
	Brick work with modular fly-ash						
	lime bricks (FaLG Bricks)						
	confirming to IS:12894-2002 of						



• K-40, 3rd Floor, Jangpura Extension, New Delhi - 110 014

www.pphfglobal.org
connect@pphfglobal.

connect@pphfglobal.org \$\u00e9 +91 11 3512 1441

	class designation 4.0 in	1			1		1
	foundation and plinth in:						
	Cement Mortar 1:6 (1 Cement :						
	6 Coarse Sand)						
		920.00	1.00	0.20	1.80	331.20	
		0_0.00		0.20	Total	331.20	Cum
	Item No.7.6						
	Extra for brick work in						
	superstructure above plinth level						
	for every floor or part thereof in						
	addition to rate for foundation						
	and plinth:						
						331.20	
					Total	331.20	Cum
9	Item No 11.3.4						
	OUTER PLASTER						
	15mm thick cement plaster on						
	the rough side of single or half						
	brick wall in cement mortar 1:6						
		2.00	1000.00	0.00	2.00	4000.00	
					Total	4000.00	sqm
	Item No 14.12						
10	Applying one coat of cement	2.00	1000.00	0.00	2.00	4000.00	
	primer on wall surface (applied						
	@ 0.80 litrs/10 sqm)						
	complete.SOR 14.12				Total	2000.00	
11	Item No14.14				TOLAI	2000.00	sqm
11	Finishing walls with water						
	proofing cement paint to give an						
	even shade						
	14.14.1 On new Work (Two or						
	more coats)	2.000	1000.00	0.00	2.00	4000.00	
		2.000	1000.00	0.00	Total	4000.00	Sqm
					Total	-1000100	- Oqiii
12	Item No9.6.2						
	Steel work welded in built up	1					1
	sections/ framed work including						
	cutting, hoisting, fixing in						
	position and applying a priming						
	coat of red oxide zinc chromate						
	primer.In gratings, frames, guard						
	bar, ladder, railings, brackets,						
	gates and similar						
					L.S.	600.00	KG
	Item No14.22.2				1		
	Item NO14.22.2						
13	Premium synthetic enamel paint (in grill gate)	1.000				30.00	sqm



K-40, 3rd Floor, Jangpura Extension, New Delhi - 110 014
www.pphfglobal.org
connect@pphfglobal.org
+91 11 3512 1441

Terms and Conditions

- 1. Eligibility: A Bidder (a) shall not participate in more than one Quotation; (b) shall not have conflict of interest as defined in the PPHF's Procurement Policies; and (c) should not have been blacklisted or suspended by Central or any State Government Departments in India.
- 2. Clarifications & Amendments: If the Purchaser receives any request for clarification of this RFQ Document, it will mailed its response together with any amendment to this document, on www.pphfglobal.org for information of all Bidders. Bidders should regularly check on the website, for any amendments to the terms and conditions.
- 3. Place of Delivery: PHC Jhalap, Dist. Mahasamund, Chhattisgarh

4. Quotation Price

- a. The bidder must mention the Unit that they are offering. However, the quantity offered should be 100% of the requirement. Corrections, if any, shall be made by crossing out, initialing, dating and re writing.
- b. Quotation should be placed in a single mail, clearly subject marked as "Boundary Wall Construction Work of Jhalap PHC"
- c. All duties, taxes and other levies payable on the components shall be included in the total price.
- d. Goods and Service Tax (GST) should be indicated separately.
- e. The rates quoted by the bidder shall be fixed for the duration of the contract and shall not be subject to adjustment on any account.
- f. The Prices shall be quoted in Indian Rupees only.
- g. Bidder must expressly mention the Name/Brand/Model No and any other extra specifications/configurations etc. of the items offered by them in the price schedule along with proper brochures. Specification Brochures should be submitted along with the bid.
- h. The bidder must mention in detail about the product being offered in lieu of the specified specifications and not by simply mentioning "Complied". Quotations with no proper technical specifications/catalogues are likely to be disqualified.

5. Qualification of Bidders

- a. Have the legal capacity to enter into a contract.
- b. Not be insolvent, in receivership, bankrupt or being wound up or subject to legal proceedings for any of these circumstances.
- c. Not have had the business activities suspended or debarred from public procurement by the State Government or Government of India.
- d. Is either an Original Equipment Manufacturer (OEM) of the offered product or an Authorized Dealer of the goods and services by the Manufacturer.
- **6. Documents Evidencing Qualification:** Bidders are requested to submit copies of the following documents as evidence of your qualification.
 - a. Valid trading license/registration or equivalent/Exemption Certificate.
 - b. Valid certificate of GST registration.
 - c. Self-declaration to the effect the bidder is not insolvent, in receivership, bankrupt or being wound up or subject to legal proceedings for any of these circumstances.
 - d. Self-declaration that the bidder's business activities are not suspended or debarred from public procurement by the Government of India.
- **7. Validity of Quotation:** Quotations shall remain valid for a period not less than 30 days after the deadline date specified for submission.



K-40, 3rd Floor, Jangpura Extension, New Delhi - 110 014
www.pphfglobal.org
connect@pphfglobal.org
+91 11 3512 1441

8. Evaluation of Quotations: The Purchaser will evaluate and compare the quotations unit wise that are determined to be substantially responsive i.e. which

(a) are properly signed; and

(b) confirm to the terms and conditions and specifications.

(c) The Quotations would be evaluated unit wise; GST will be taken into consideration while evaluating the quotations.

(d) Any historical information, if required may be asked from the bidders during evaluation of quotes.

9. Award of contract: The Purchaser will award the supply orders to the bidders whose quotations have been determined to be substantially responsive in respective unit and who has offered the lowest evaluated quotation price, compliance to the technical specifications and which are of latest make and model for that respective lot.

The announcement for this assignment will be mailed from connect@pphfglobal.org

- a. Notwithstanding the above, the Purchaser reserves the right to accept or reject any quotations and to cancel the bidding process and reject all quotations at any time prior to the award of contract. The numbers against each item may increase or decrease by 10 to 15 percent at the time of issuing the Purchase Order.
- b. The bidder whose quotation is accepted will be notified of the issue of Supply Order by the Purchaser prior to expiration of the quotation validity period. The terms of the accepted offer shall be incorporated in the supply order.
- **10.** Payment shall be made within 15 days after complete the work.
- **11.** Normal commercial warranty/ guarantee shall be applicable to the supplied equipment. (Extended warranty if required will be mentioned in the technical specifications.)
- **12.** You are requested to provide your confidential mail quote latest by 17:30 hours on 12th January, 2024. Quotations that have been submitted on or before time will be opened at 17:30 Hrs. on 12th January, 2024 Late quotes will be rejected.
- **13.** We look forward to receiving your quotations and thank you for your interest in this project.



Name: Varghese C joseph Address: PPHF, K-40, 3rd Floor, Jangpura Extension, New Delhi – 110 014 Tel. No.: +91 011 3512 1441 Email: connect@pphfglobal.org